



▪ Logistic Requirements

Delivery Points

Behr Thermot-tronik GmbH Kornwestheim

Plant Address: Behr Thermot-tronik GmbH
Enzstraße 25
D - 70806 Kornwestheim

Phone No. Plant: 0049 7154 / 133- 0

Delivery address for
production material: Behr Thermot-tronik GmbH
Dezentraler Wareneingang

Opening Hours: c/o Spedition Panalpina,
Rudolf-Diesel-Str. 2, D - 70806 Kornwestheim
7:00 – 16:00 Uhr

Phone Receiving Dept.: 0049 7154 / 8224 -71

Behr Thermot-tronik GmbH Berga

Plant Address: Behr-Thermot-tronik GmbH Berga
Gewerbepark1

Delivery Address: Eichenweg 2

Phone No. Plant: D - 06536 Berga

Opening Hours: as above

Phone Receiving Dept.: Tel.: 034651 / 419-0
Fax.: 034651 / 419-10
07.00 –12.30 Uhr
13.00 –15.30 Uhr
nach Vereinbarung bis 22.00Uhr
0049 34651/419-11

Behr Thermot-tronik Czech s.r.o.

Plant Address: Behr Thermot-tronik Czech s.r.o.
Politických věznu 676

Delivery Address: 34562 Holýšov, Czech Republic

Phone No. Plant: as above

Opening Hours: 00420 379 410 552

Phone Receiving Dept.: Mo.- Fr. 08:00 - 15.00
oder nach Vereinbarung
00420 379 410 557



▪ Logistic Requirements

(Delivery points:)

Behr Thermot-tronik Prettl de Mexiko S.A. de C.V.

Plant Address: Behr Thermot-tronik Prettl de Mexico S.A.de C.V
Delivery Address: Km.8.6 Carretera libre a Celaya
Phone Number: Fracc. Industrial Balvanera
769-00 Corregidora, Queretaro, Mexico
as above
Tel.: 0052-442-2251444
Fax.: 0052-442-2251637

Behr Thermot-tronik Korea Ltd.

Plant Address: Behr Thermot-tronik Korea LTD
Delivery Address: The 3rd Standard Factory 2-4
Phone Number: 36 Palyong-dong
Changwon/Korea
as above
Tel.: 0082-55-237-6300
Fax.: 0082-55-237-6303

Behr Thermot-tronik Italia S.p.A.

Plant Address: Behr Thermot-tronik Italia S.p.A.
Delivery Address: Via Leonardo da Vinci n. 32
Phone Number: I - 10095 Grugliasco
as above
Tel.: 0039-011-4080266
Fax.: 0039-011-4080164



▪ Logistic Requirements

Packaging

- The Product has to be packed properly and according to the Packaging Data Sheet of our logistics department.
- In general recyclable packaging material has to be used and unnecessary packaging material has to be avoided.
- The packaging has to protect the parts from humidity, dirt and damage.
- The weight of each package should not exceed 15 kg gross.
- Pallet dimensions may have 800x600, 800x1000, 800x1200 or 1000x1200 mm, pallet height may have 1100 mm maximum.
- The marks of each packaging item and the specification on transport bills and invoices have to be in a manner to enable Behr Thermot-tronik to clearly identify the delivered parts.

Delivery Notes

Following datas must be shown on all delivery notes:

1. Order Number
2. Supplier Number
3. Part Number
4. Drawing version
5. Amount of pieces
6. Delivery Note Number
7. Date